

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L4	1	"296699"	EPO; JPO	OR	ON	2006/01/25 09:30
L6	2	"6208170".pn.	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2006/01/25 09:44
L7	37	"629834"	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2006/01/25 09:42
L9	1	"629834"	EPO; JPO	OR	ON	2006/01/25 09:43
L11	148	(semiconductor adj technology adj academic).as.	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2006/01/25 09:45
L12	3759	(arima-k\$ or yamashita-t\$ or ishibashi-k\$).in.	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2006/01/25 09:46
L13	3896	l11 or l12	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2006/01/25 09:46
L14	1	l13 and (saving adj clock).clm.	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2006/01/25 09:55
L15	10852	sleep adj mode	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2006/01/25 09:55
L17	2783	l15 and (power near control\$3)	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2006/01/25 09:56
L18	2417	l17 and stor\$3	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2006/01/25 09:56

L19	630	l18 and (error adj (detect\$3 correct\$3 or check\$3))	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2006/01/25 09:57
L20	397	l19 and @ad<"20021012"	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2006/01/25 09:58
L21	108	l20 and scan	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2006/01/25 10:07
L23	894	l17 and (sav\$3 with (data or status or state or level))	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2006/01/25 10:08
L24	240	l23 and (restor\$3 with power)	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2006/01/25 10:09
L25	139	l24 and @ad<"20021012"	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2006/01/25 10:23
L26	7827	(455/343.1 or 455/343.5 or 713/322 or 713/300 or 713/320 or 713/310 or 713/321 or 713/323 or 713/324 or 713/330 or 713/340 or 714/727 or 714/733 or 714/744 or 714/746 or 714/764 or 714/797). ccls.	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2006/01/25 10:27
L27	2633	l26 and (power with control\$4). clm.	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2006/01/25 10:27
L28	258	l27 and (sav\$3 with (data or state or status or level or output)).clm.	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2006/01/25 10:28
L29	6	l28 and scan.clm.	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2006/01/25 12:19

L31	11	I28 and (error.clm.)	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2006/01/25 11:27
L33	6	I28 and (correct\$3.clm.)	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2006/01/25 12:48
L34	63	I26 and (alpha with (fail\$3 or error))	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2006/01/25 11:33
L35	55	I34 and correct\$3	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2006/01/25 11:33
L36	54	I35 and (memory or storage)	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2006/01/25 12:05
L37	9	I36 and majority	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2006/01/25 12:16
L38	52	(majority with data with correct\$3) and alpha	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2006/01/25 12:10
L39	7	I38 and I26	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2006/01/25 12:10
L40	1	I36 and bist	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2006/01/25 12:17
L41	2	I28 and bist	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2006/01/25 12:24

L42	32	I28 and (((built adj in) with (test)) or (self adj test))	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2006/01/25 12:25
L43	1	I28 and (compress.clm.)	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2006/01/25 12:49
L44	5	I27 and (compress.clm.)	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2006/01/25 12:49